

ENVIRONMENTAL DATA SHEET
(Certified Product Data Sheet)

Date of Preparation
Jun 9, 2023

PRODUCT NUMBER

CF1

PRODUCT NAME

CLEAR FINISH1 Ultimate Overall Clearcoat (Part A)

MANUFACTURER'S NAME

COATIZ LLC
Tacoma, WA, 98466

This document includes all data required by 40 CFR 63.801(a) for a Certified Product Data Sheet under criteria specified in 40 CFR 63.805(a). All data given below are MAXIMUM THEORETICAL VALUES based on the product AS CURRENTLY FORMULATED. Variations may occur on individual batches due to adjustments made during production.

Hazard Category (for SARA 311.312)

CF1 = | Acute | Chronic | Fire |

Product Weight

7.90 lb/gal

Specific Gravity

0.95

FLASH POINT

7 °F PMCC

Volatile Ingredients

Chemical / Compound	SARA 302 EHS	CERCLA	SARA 313 TC	HAPS 112	% by Weight	% by Volume
Acetone 67-64-1	N	Y	N	N	13	15
Methyl Ethyl Ketone 78-93-3	N	Y	N	N	4	5
n-Butyl Propionate 590-01-2	N	N	N	N	13	14
Ethyl 3-Ethoxypropionate 763-69-9	N	N	N	N	7	7
n-Butyl Acetate 123-86-4	N	Y	N	N	22	25

Volatile Organic Compounds - U.S. EPA / Canada

	CF1	
	LB/Gal	g/L
Coating Density	7.90	946
	By wt	By vol
Total Volatiles	60.2%	66.9%
Federally exempt solvents		
Water	0.0%	0.0%
Acetone	12.7%	15.2%
Organic Volatiles	47.6%	51.7%
Percent Non-Volatile	39.8%	33.1%
VOC Content	LB/Gal	g/L
Total	3.75	450
Less exempt solvents	4.43	530
Of solids	11.35	1360
Of solids	1.19 lb/lb	1.19 kg/kg
	By wt	
By wt LVP-VOC	47.6%	

Maximum Incremental Reactivity (MIR) (per US EPA Aerosol Ctg Rule, MIR Values 2009) **0.69**

Volatile Organic Compounds - California

	CF1	
	LB/Gal	g/L
Coating Density	7.90	946
	By wt	By vol
Total Volatiles	60.2%	66.9%
Exempt solvents		
Water	0.0%	0.0%
Acetone	12.7%	15.2%
Organic Volatiles	47.6%	51.7%
Percent Non-Volatile	39.8%	33.1%
VOC Content	LB/Gal	g/L
Total	3.75	450
Less exempt solvents	4.43	530
Of solids	11.35	1360
Of solids	1.19 lb/lb	1.19 kg/kg
	By wt	
By wt LVP-VOC	47.6%	

Maximum Incremental Reactivity (MIR) (per California Air Resources Board Aerosol Products Regulation, MIR Values 2010) **0.66**

Volatile Organic Compounds - South Coast Air Quality Management District, California, US

	CF1	
	LB/Gal	g/L
Coating Density	7.90	946
	By wt	By vol
Total Volatiles	60.2%	66.9%
Exempt solvents		
Water	0.0%	0.0%
Acetone	12.7%	15.2%
Organic Volatiles	47.6%	51.7%
Percent Non-Volatile	39.8%	33.1%
VOC Content	LB/Gal	g/L
Total	3.75	450
Less exempt solvents	4.43	530
Of solids	11.35	1360
Of solids	1.19 lb/lb	1.19 kg/kg

Volatile Organic Compounds - EU Directive 2004/42/EC

	CF1	
	By wt	By vol
Total Volatiles	60.2%	66.9%
VOC Content	LB/Gal	g/L
Total	4.75	570

Volatile Organic Compounds - EU Directive 2010/75/EU

	CF1	
	By wt	By vol
Total Volatiles	60.2%	66.9%
VOC Content	LB/Gal	g/L
Total	4.75	570

Volatile Organic Compounds - Mexico

	CF1	
	LB/Gal	g/L
Coating Density	7.90	946
	By wt	By vol
Total Volatiles	60.2%	66.9%
Exempt solvents		
Water	0.0%	0.0%
Acetone	12.7%	15.2%
Organic Volatiles	47.6%	51.7%
Percent Non-Volatile	39.8%	33.1%
VOC Content	LB/Gal	g/L
Total	3.75	450
Less exempt solvents	4.43	530
Of solids	11.35	1360
Of solids	1.19 lb/lb	1.19 kg/kg

Hazardous Air Pollutants (Clean Air Act, Section 112(b))

	CF1	
	LB/Gal	kg/L
Volatile HAPS	0.00	0.000
Of solids	0.00	0.000
Of solids	0.00 lb/lb	0.00 kg/kg

Air Quality Data

Density of Organic Solvent Blend

7.11 lb/gal

Photochemically Reactive

No

Additional Regulatory Information

US EPA TSCA:

Not Applicable

Relevant identified uses of the substance or mixture and uses advised against:

Not Applicable

Waste Disposal

Waste from this product may be hazardous as defined under the Resource Conservation and Recovery Act (RCRA) 40 CFR 261. Waste must be tested for ignitability to determine the applicable EPA hazardous waste numbers.

Addition of reducers or other additives to this product may substantially alter the above data. Since conditions of use are outside our control, we make no warranties, express or implied, and assume no liability in connection with any use of this information.